#### AMEN CLINICS, INC. A MEDICAL CORPORATION

### PATIENT INFORMATION Please use **BLUE** or **BLACK** ink and write **LEGIBLY**. SS# - - Sex: Male Female Patient's Name: Date of Birth: \_\_\_\_\_\_ Age: \_\_\_\_\_ Marital Status: Single Married Separated Divorced Widowed Race:\_\_\_\_\_\_\_ Religion: \_\_\_\_\_\_ Grade Level:\_\_\_\_\_\_ School:\_\_\_\_\_ Biological Mother:\_\_\_\_\_\_ Biological Father:\_\_\_\_\_ Adoptive Mother:\_\_\_\_\_ Adoptive Father:\_\_\_\_ Home Address: Home Phone: (\_\_\_\_\_\_) \_\_\_\_ Cell Phone: (\_\_\_\_\_\_) \_\_\_\_ Occupation: \_\_\_\_\_ Student Employer (School, if student): \_\_\_\_\_\_ Work/School Phone: (\_\_\_\_\_) \_\_\_\_ Employer/School Address:\_\_\_\_\_ Fax Phone: (\_\_\_\_\_) E-mail Address: RESPONSIBLE PARTY Responsible Party: \_\_\_\_\_\_ SS#\_\_\_ - \_\_\_ Date of Birth: \_\_\_\_ Age: \_\_\_\_ Home Address: Home Phone: ( ) Occupation: Employer: Work Phone: ( ) Employer Address: Driver's License No.: Marital Status: Single Married Separated Divorced Widowed INSURANCE BILLING: Amen Clinics, Inc. (ACI) does not bill insurance. We will provide patients with receipts that may be submitted to insurance carriers for reimbursement. Patients/Responsible Parties are responsible for all charges whether or not they are covered by your insurance. ACl is not a Medicare, Medicaid or Medi-Cal provider. PAYMENT POLICY: ACI requires payment for services at the time they are rendered. The cost of the 5-step evaluation procedure is \$3,575 and must be paid in full at the time of your visit. Payment may be made by personal check or credit card (American Express, MasterCard or Visa). Cash is NOT accepted. Since patients are expected to maintain a zero balance, our office does not send patients statements. Accounts need to stay current in order to maintain ongoing treatment. Unpaid accounts over 30 days old are routinely reviewed for submission to our collection agency. FEES CHARGED: Charged appointments by ACI physician/therapists are scheduled for 20-25 minutes (fee: \$175) or 45-50 minutes (fee: \$350), depending upon the patient's issues. In addition, patients are charged for time spent with a physician on the telephone, time taken to write triplicate prescriptions outside of scheduled appointments, and time taken to write reports or correspondence on patient's behalf. In the event that your ACI clinician is required to write a legal report, be at a deposition, or testify in court, a different fee structure will apply. APPOINTMENT CANCELLATION POLICY: ACI is committed to providing quality and timely service to our patients. Therefore, due to the complicated nature of scheduling several appointments and holding appointments to accommodate our patient's needs, the \$500.00 start-up fee is non-refundable. Changes or cancellations of full evaluation appointments must be made a minimum of <u>5 business days</u> before the first scheduled appointment time in order to apply the \$500 deposit for rescheduled appointments. If cancellations are made less than 5 business days before the first scheduled appointment, the \$500 deposit will be forfeited to the clinic. For on-going appointments with our physicians/therapists, ACI requires that cancellations for scheduled appointments be received 24 "business" hours in advance during regular office hours (Monday through Friday 8:00am to 5:00pm). Unkept or late cancelled appointments will be charged the full fee for the appointment. Insurance companies do not pay for unkept appointment fees and the patient/responsible party is held fully accountable for this charge. **REFUNDS:** Approved refunds of credit card payments will be credited to the patients account within five (5) business days. Approved refunds of check payments will be refunded by check and mailed to the patient within ten (10) business days. I HAVE READ AND UNDERSTAND THE ABOVE STATED POLICIES OF AMEN CLINICS, INC.

Newport Beach Clinic: 4019 Westerly Place, Ste. 100, Newport Beach, CA 92660 (949) 266-3700 FAX: (949) 266-3750 Brisbane Clinic: 1000 Marina Boulevard Suite 100, Brisbane, CA 94005 (650) 416-7830 FAX: (650) 871-8874 Northwest Clinic: 616 120<sup>th</sup> Ave NE, Suite C100, Bellevue, WA 98005 (877) 685-5554 FAX: (425) 454-7845 Washington DC Clinic: 1875 Campus Commons Drive, Suite 101, Reston, VA 20191 (703) 880-4000 FAX: (703) 860-5760

\_\_\_\_\_ Date:\_\_\_\_

Responsible Party's Signature:

# **Amen Clinics, Inc.**

A Medical Corporation <a href="http://www.amenclinic.com">http://www.amenclinic.com</a>

## **Child/Teen Intake Questionnaires**

Parents, in order for us to be able to fully evaluate your child or teenager, we request that you fill out the following intake form and questionnaires (as they pertain to your child) to the best of your ability. We realize that there is a lot of information and you may not remember or have access to all of it; do the best you can. If there is information that you do not want in your child's or teenager's medical chart, it is ok to refrain from entering it here. Thank you!

Clinics?		
sional referred you to Phone #	our clinic. Fax #	
	•	•
	Sional referred you to Phone #  TATION (Please give	Clinics?sional referred you to our clinic Phone # Fax #  FATION (Please give a brief summary of the r

#### PAST/PRESENT PSYCHIATRIC MEDICATIONS

We included a detailed list of most psychiatric medication on pages 4-5 to be used as a reference. The information the doctor needs to know in order to do a through evaluation is:

- 1. The name of the medication
- 2. The mg, dose
- The amount of tablets or mg you took in one day
- The approximate dates taken preferably in sequential order Whether the medicine worked well, worked partially, or didn't work at all.
- If you took any medications in combination with other medications
- Any side effects or adverse effects from the medication

Date	ed more room, please attach another sheet  Medication	Effectiveness	Side-Effects/Problems
<b>Taken</b>	Individual or Combinations	Effectiveness	Side-Effects/Problems
	Dosage(s) and time(s) taken per day		
Ex:	Example	Example	Example
3/2000-	• Ritalin 5 mg BID	Improved concentration in	Very unfocused and hyperactive
12/2005	• Prozac 10mg QAM	morning, still moody	in evenings; dry mouth

### MEDICATION REFERENCE LIST

#### **ADD Medications**

Adderall / Adderall XR	Concerta	Cylert	Daytrana
4 amphetamine salts	methylphenidate	pemoline	methylphenidate transdermal
Desoxyn methamphetamine HCL	Dexedrine dextroamphetamine	Dexedrine Spansules dextroamphetamine	Dextrostat dextroamphetamine
Focalin	Focalin XR	Intuniv	Metadate
dexmethylphenidate	dexmethylphenidate hydrochloride	guanfacine	methylphenidate
Metadate CR	Methylin	Provigil	Ritalin
methylphenidate hydrochloride	methylphenidate	<i>modafinil</i>	methylphenidate
Ritalin LA	Ritalin SR	Strattera	Vyvanse
methylphenidate	methylphenidate	atomoxetine	lisdexamfetamine

Antidepressants

		писргезапа	
Anafranil	Asendin	Celexa	Cymbalta duloxetine HCl
clomipramine hcl	amoxapine	citalopram	
Desyrel	Effexor/Effexor XR venlafaxine	Elavil	Eldepryl
trazodone		amitriptyline	selegiline HCl
EMSAM	Lexapro	Ludiomil	Luvox
selegiline transdermal system	escitalopram	maprotiline	fluvoxamine
Marplan	Nardil	Norpramin	Pamelor
isocarboxazid	phenelzine	desipramine	nortriptyline
Parnate tranylcypromine	Paxil/Paxil CR paroxetine	Pristiq desvenlafaxine extended release	Prozac fluoxetine
Remeron	Serzone	Sinequan	Surmontil trimipramine
mirtazapine	nefazodone	doxepin	
Tofranil	Vivactil	Wellbutrin/Wellbutrin SR or XL bupropion	Zoloft
imipramine	protripfyline		sertaline

**Anti-Anxiety Medications** 

Ativan	BuSpar	Klonopin	Librium
lorazepam	buspirone	clonazepam	chlordiazepoxide
Serax	Tranxene	Valium	Visatril
oxazepam	clorazepate	diazepam	hydroxyzine
Xanax alprazolam			

**Mood Stabilizers** 

		11100tt Stabilizers	
Depakene valproic acid	Depakote	Dilantin	Donnatal
	divalproex	phenytoin	phenobarbital
Gabitril	Keppra	Lamictal	Lithium/Eskalith
tigabine	levetiracetam	lamotrigine	lithium carbonate
Lyrica	Neurontin	Tegretol/Carbatrol Tegretol XR carbamazepeine	Trileptal
pregablin	gabapentin		oxcarbazepine
Topamax topiramate	Zonegran zonisamide		

**Anti-Tic Hypertensive Medications** 

Catapres clonidine	Inderal propranolol	Tenex guanfacine	
	1		1

**Anti-Psychotic Medications** 

	Anti-	Psychotic Medications	
Abilify aripiprazole	Clozaril clozapine	Geodon ziprasidone HCl	Haldol <i>haloperidol</i>
Invega paliperidone	Loxitane loxapine	Mellaril molindone	Moban molindone
Navane thiothixene	Orap pimozide	Prolixin fluphenazine	Risperdal risperidone
Serentil mesoridazine	Seroquel quetiapine	Stelazine trifluoperazine	Symbyax olanzapine/fluoxetine HCl
Thorazine chlorpromazine	Trilafon perphenazine	Zydis olanzapine	Zyprexa olanzapine
	M	lovement Disorders	
Artane trihexyphenidyl	Benadryl diphenhydramine	Cogentin benztropine	Symmetrel amantadine
	Memory	/ Alzheimer's Medications	
Aricept donepezil HCl	Exelon revastigmine tartrate	Namenda memantine	Reminyl - now Razadyne ER galantamine HBR
		Sleep Aid	
Ambien/Ambien CR zolpidem tartrate	Dalmane flurazepam	Desyrel trazodone	Doral quazepam tablets
Halcion triazolam	Lunesta zopiclone	ProSom estazolam	Restoril temazepam
Rohypnol flunitrazepam	Rozerem ramelteon	Sonata zaleplon	
-		Weight Loss	
Fenfluramine fenfluramine hydrochloride	Meridia sibutramine hydrochloride monohydrate	Phentermine phenethylamine	
	S	exual Dysfunction	
Cialis <i>tadalafil</i>	Levitra Cardenafil HCl	Viagra sildenafil citrate	
	Mi	igraine Medications	
Amerge naratriptan	Axert almotriptan malate	Esgic plus butalbital / acetaminophen	Fioricet butalbital / acetaminophen
Fiorinal aspirin / butalbital / caffeine	Frova frovatriptan succinate	Imitrex sumatriptan succinate	Maxalt rizatriptan benzoate
Replax eletriptan hydrobromide	Zomig zolmitriptan		
		Pain Medications	
Avinza morphine sulfate extended release	Darvocet propoxyphene	Darvon propoxyphene	Fentanyl fentanyl citrate
Kadian morphine sulfate extended release	Oxycontin oxycodone	Percocet oxycodone HCl/APAP CII	Percodan aspirin / hydrocodone
Roxanol morphine sulfate	Vicodin hydrocodone		
	il .		

### PRIOR ATTEMPTS TO CORRECT PROBLEMS/PRIOR PSYCHIATRIC HISTORY

Please	indicate if you have attempted the following treatment:
	Psychiatrist
	Neurologist
	Cardiologist
	Alternative/Holistic/Naturopathic (include type)
	Therapy (include type and duration)
	Psychiatric Inpatient Hospitalization (if multiple attempts include overall duration)
	Outpatient Treatment Program (if multiple attempts indicate overall duration)
Dlagge	Other
Piease	list any prior diagnoses:
MEDI	CAL HISTORY
Currer	t medical problems/medications:
Currer	t supplements/vitamins/herbs:
Past m	edical problems/medications:
Past su	applements/vitamins/herbs:
Name	of Primary Care Physician:
Other	doctors/clinics seen currently:
	ies/drug intolerances (describe):
Date o	f last physical exam:
Presen	t Height Present Weight Present Waist Size
For fe	nales, date started last menstrual period:
Please	indicate if you have a history of the following:
	Seizure or seizure like activity
	Periods of spaciness or confusion
	Concussion
	Whiplash
	Loss of consciousness (describe):
	Head trauma (describe, list date or approximate age):
	Stitches on face or head (describe):
Please	indicate if you have a history of the following tests or examinations (list date and describe abnormalities):  Test/Examination  Date  Abnormality
	Blood work
	EKG
	EEG
	CT scan
	PET scan
	MRI/fMRI
	SPECT
	Quantitative EEG
	Echocardiogram
	Holter Monitor
	Carotid Ultrasoud
	Other:

CURRENT LIFE STRESSES (please list current factors that are a source of stress in the family)
FAMILY HISTORY
Family Structure (who lives in the current household with the child, please give relationship to the child):
Significant Developmental Events (include marriages, separations, divorces, deaths, traumatic events, losses, etc.)
Current Marital Situation/Satisfaction of Parents
Biological Mother's History: Living; Age Deceased; Age Cause of death  Marriages Highest Level of Education: Occupation:  Learning problems Behavior problems  Medical Problems (include heart problems, sudden death, congenital disorders)
Has mother ever sought psychiatric treatment?   Yes   No If yes, for what purpose?
Patient's mother's alcohol/drug use history
Have any of your mother's blood relatives ever had any learning problems or psychiatric problems including such things as alcohol/drug abuse, depression, anxiety, suicide attempts, or psychiatric hospitalizations?  (specify)
Biological Father's History: Living; Age Deceased; Age Cause of death  Marriages Highest Level of Education: Occupation:  Learning problems Behavior problems  Medical Problems (include heart problems, sudden death, congenital disorders)
Has father ever sought psychiatric treatment?   Yes   No If yes, for what purpose?
Patient's father's alcohol/drug use history
Have any of your father's blood relatives ever had any learning problems or psychiatric problems including such thing as alcohol/drug abuse, depression, anxiety, suicide attempts, or psychiatric hospitalizations?  (specify)

<b>Step or Adopted Mother's Hist</b>			
			_Occupation:
Medical Problems (include heart	problems, sudden de	ath, congenital disorde	rs)
Has step/adoptive mother ever so	ought psychiatric treat	ment? Yes No	If yes, for what purpose?
Step/adoptive mother's alcohol/d	rug use history		
Step or Adopted Father's Histo			
Age Marriages Hig	hest Level of Education	on:	_Occupation:
Learning problems		Behavior problems	
Medical Problems (include heart	problems, sudden de	ath, congenital disorde	rs)
Has step/adoptive father ever so	aght psychiatric treatn	nent? Yes No	If yes, for what purpose?
Step/adoptive father's alcohol/dr	ug use history		
Patient's siblings (names, ages,	problems, strengths, 1	relationship to patient)	
CHILD'S DEVELOPMENTA: Prenatal events: Parents' attitude toward pregnan Conception – ease planne Pregnancy complications (bleedi etc	cy d unplanned _ ng, excess vomiting,	medication, infections,	x-rays, smoking, alcohol/drug use,
Birth and Postnatal period: Birth weight Length APGAR scores (if known) Complications?	Any jaundice	? Yes No	C section Problems _ Time in hospital
Mother's health after delivery Post Partum Depression?	if yes, how long?		
Primary caretaker for child, fi thereafter			
Any food allergies/sensitivities? Are you currently on a restricted Yes No If yes, please Any experience with a gluten free Any experience with a case in free Caffeine consumption per day (i	ostly healthy or unheal  Yes No l  diet (i.e. vegetarian, le list restrictions:  ee diet? Yes No  ee diet? Yes No  ee diet? Yes No  ee coffee, soda, tea, cl	Ithy?f yes, please list:nigh protein only, etc)?  D If yes, please list to If yes, please list thocolate):	results:
How many days a week do you	eat iruits?	vegetables !	breakfast?

<u>If</u> you are seeking treatment for weight related issues, please complete the following:
How many times a day do you eat?
Do you drink 8 glasses of water per day?  Yes No
Would you consider yourself to be over or underweight?
What is your ideal weight? What is your BMI?
How long have you struggled with weight issues?
What weight loss measures have you tried?
Sleep Behavior:  Any problems falling asleep? Any problems staying asleep? Any problems waking up? On average, how many hours do you sleep per night? Any history of sleepwalking, recurrent dreams, sleep apnea, heavy snoring, or sleep bruxism (grinding your
Separations from mother and/or father: age, duration, reaction to
Toilet training: age reached bowel control: day night bladder control: day night methods used ease current function
Sexual development: gender identityany problems?
Physical/Sexual Abuse:
Motor development: (please write in age, parentheses are approximate normal limits) rolls over (3-5m) sit without support (5-7m) crawls (5-8) walks well (11-16m) runs well (2y) rides tricycle (3y) throws ball overhand (4y)  current level of activity/exercise compared to peers
Towards design to the control of the
Language development: (please write in age, parentheses are approximate normal limits) several words besides dada, mama (1y) name several objects-ball, cup (15m) 3 words togethersubject, verb, object (24m) vocabulary articulation comprehension any current problems
Social development: (please write in age, parentheses are approximate normal limits) smile (2m) shy with strangers (6-10m) separates from mother easily (2-3y) cooperative play with others (4y) quality of attachment to mother quality of attachment to father relationships to family members early peer interactions current peer interactions special interests/hobbies
Behavioral/Discipline: compliance vs. non-compliance lying/stealing rule breaking methods of discipline other problems
Emotional development: early temperament current personality

mood	tears/phobias
habits	
special objects (blankets, dolls, etc.)	ability to express of feelings
Ever Any Legal Problems? (including traffic	c violations)
Drug/Alcohol History:	
School History: current grade	school contact
number of schools attended	average grades
specific learning disabilities	
what have teachers said about the child/teen _	
Overall Strengths as viewed by parents _	
Overall Strengths as viewed by the child/	teen

## Amen Child/Teen General Symptom Checklist

#### Copyright Daniel G. Amen, MD

Parents please rate your child or teen on each of the symptoms listed below using the following scale. If possible, to give us the most complete picture, have the child or teen rate him/herself as well. For young children it may not be practical to have them fill out the questionnaire. Use your best judgment and do the best you can.

0		1	2	3	4	NA	
Never		Rarely	Occasionally	Frequently	Very Frequently	Not Applicable/Not Known	
Ch/Tn	Parent	<del>;</del>					
		1. Feeling depressed or being in a sad mood					
		2. Not having as much interest in things that are usually fun					
		2. Not having as much interest in unings that are usually run  3. Experiencing a significant change in weight or appetite					
		3. Experiencing a significant change in weight of appetite 4. Having recurrent thoughts of death or suicide					
		<ul> <li>4. Having recurrent thoughts of death of suicide</li> <li>5. Experiencing sleep changes, such as a lack of sleep or a marked increase in sleep</li> </ul>					
			elings of low energy		or williams in		
			elings of being wort		opeless or guilty		
			one or being sociall		S. S.		
			ng made to cry	,			
		-	oad or negative thou	ghts			
		_	riods of an elevated	-	e mood		
			riods of a very high				
			riods of decreased r				
	14	. Being mor	e talkative than usu	al or feeling pres	sure to keep talking		
	15	. Having fas	st thoughts or freque	ently jumping fro	om one subject to and	other	
	16	. Being easi	ly distracted by irre	levant things	-		
	17	. Having a n	narked increase in a	activity level			
	18	. Experienci	ing cyclic periods of	f angry, mean or	violent behavior		
	19	. Having per	riods of time where	you feel intense	ly anxious or nervou	S	
			riods of trouble brea				
			riods of feeling dizz	-	•		
			riods of heart pound				
			riods of trembling,				
	24	. Having per	riods of nausea, stor	mach discomfort	trouble, or choking		
			intense fear of dyin				
			onfidence in one's a	bilities			
			ots of reassurance				
		. Needing to					
			arful and/or anxious				
		Being shy					
		-	ly embarrassed				
		•	sitive to criticism	athina			
			gernails or chews clorefusing to go to sol				
					her children or adult		
		•		•		paces, specific animals, etc.). Please list:	
	3	o. Having a	a persistent, exces	sive lear (e.g., t	or neights, closed s	paces, specific animals, etc.). Thease list.	
	37	. Being exce	essively anxious abo	out separation fro	om home or from the	ose to whom you're attached.	
	38	. Having rec	current bothersome	thoughts, ideas,	or images that you tr	y to ignore	
	39	. Having tro	ouble getting "stuck'	on certain thou		ame thought over and over	
			ing excessive or sen		-		
	41	. Others con	nplaining that you v	worry too much o	or get "stuck" on the	same thoughts	

 42. Having compulsive behaviors that you must do or else you reer very anxious, such as excessive hand washing,
cleaning, checking locks, or counting or spelling
 43. Needing to have things done a certain way or else you become very upset
 44. Experiencing recurrent and upsetting thoughts of a past traumatic event (molestation [sexually
inappropriate touching], an accident, a fire, etc.). Please list:
 45. Experiencing recurrent distressing dreams of a past upsetting event
 46. Having a sense of reliving a past upsetting event
 47. Spending effort avoiding thoughts or feelings related to a past trauma
 48. Feeling that your future is shortened
 49. Being quick to startle
 50. Feeling like you're always watching for bad things to happen
 51. Refusing to maintain body weight above a level that most people consider healthy
 52. Intensely fearing gaining weight or becoming fat even though underweight
 53. Having feelings of being fat, even though you're underweight
 54. Experiencing recurrent episodes of eating large amounts of food
 55. Feeling a lack of control over eating behavior
 56. Engaging in activities to eliminate excess food, such as self-induced vomiting, laxatives,
strict dieting, or strenuous exercise
 57. Being overly concerned with body shape and weight
 58. Experiencing involuntary physical movements and/or motor tics (such as eye blinking, shoulder shrugging, head
jerking or picking). How long have motor tics been present? How often?
Please describe:
 59. Experiencing involuntary vocal sounds and/or verbal tics (such as coughing, puffing, blowing, whistling,
swearing). How long have verbal tics been present? How often? Please describe:
 60. Behaving in a repetitive, seemingly driven motor manner (e.g., hand-shaking or waving, body-rocking, head-banging, mouthing of objects, self-biting, picking at skin or bodily orifices, hitting own body) that interferes with normal activities or results in self-inflicted bodily injury that requires medical treatment (or would result in an injury if preventive measures were not used).
61. Eliminating feces in inappropriate places (e.g., clothing or floor).
 62. Bed wetting. If present, how often?
 63. Being unable to speak in specific social situations (in which there is an expectation for speaking, e.g., at school) despite speaking in other situations.
64. Experiencing delusional or bizarre thoughts (thoughts you know others would think are false)
 65. Experiencing visual hallucinations, seeing objects or images are not really present
 66. Hearing voices that are not really present
 67. Behaving in an odd manner
 68. Having poor personal hygiene and/or grooming
69. Being in an inappropriate mood for a given situation (e.g., laughing at sad events)
70. Frequently feeling that someone or something is out to hurt you
71. Having problems with social relatedness before the age of 5, either by failing to respond appropriately
to others or becoming indiscriminately attached to others
 72. Having multiple changes in caregivers before the age of 5
73. Stealing behavior
 73. Steaming behavior 74. Bullying, threatening, or intimidating others
 74. Burlying, threatening, of intrindating others 75. Initiating physical fights
 76. Being cruel to animals
 70. Being crue to difficults 77. Forcing others into things they do not want to do (sexually or criminally)
 78. Setting fires
 70. Setting files 79. Being destructive to property

80.	Breaking another person's home, school, car, or place of business
81.	Lying behavior
	Staying out at night despite parental prohibitions
83.	Running away overnight
84.	Cutting school (truancy)
85.	Not seeming sorry for hurting others
	Behaving in a negative, hostile, or defiant way
	Losing temper
	Arguing with adults
	Actively defying or refusing to comply with adults' requests or rules
	Annoying people deliberately
	Blaming others for own mistakes and/or misbehavior
	Being touchy or easily annoyed by others
	Being angry and/or resentful
	Behaving spitefully or vindictively
95.	Having an impairment in communication as manifested by at least one of the following (please circle all that apply):
•	A delay in, or total lack of, the development of spoken language (not accompanied by an attempt to compensate through alternative modes of communication such as gesture or mime)
•	In individuals with adequate speech, a marked impairment in the ability to initiate or sustain a conversation with
	others
•	A repetitive use of language or odd language
•	A lack of varied, spontaneous make-believe play or social imitative play appropriate to developmental level
96.	Having an impairment in social interaction, with at least two of the following (please circle all that apply):
•	A marked impairment in the use of multiple nonverbal behaviors such as eye-to-eye gaze, facial expression, body postures, and gestures to regulate social interaction
•	A failure to develop peer relationships appropriate to developmental level
•	A lack of spontaneous seeking to share enjoyment, interests, or achievements with other people (e.g., by a lack of
	showing, bringing, or pointing out objects of interest)
•	A lack of social or emotional reciprocity
Q'	7. Showing repetitive patterns of behavior, interests, and activities, as manifested by at least one of
	following (please circle all that apply):
•	A preoccupation with an area of that is abnormal either in intensity or focus
•	A rigid adherence to specific, nonfunctional routines or rituals
•	Any repetitive motor mannerisms (e.g., hand or finger flapping or twisting, or complex whole-body movements)
•	A persistent preoccupation with parts of objects
	Stuttering
	Feeling tired during the day
	). Feeling cold when others feel fine or they are warm
	1. Often feeling warm when others feel fine or they are cold
	2. Having problems with brittle or dry hair
	3. Having problems with dry skin
	4. Having problems with sweating
10:	5. Having problems with chronic anxiety or tension

### Child/Teen Amen Brain System Checklist

Copyright Daniel G. Amen, MD

Please rate your child/teen on each of the symptoms listed below using the following scale. If practical and/or possible, to give us the most complete picture, have the child/teen (Ch/Tn) rate himself or herself. Please list who filled this 0 1 2 3 Very Frequently Not Applicable/Not Known Never Rarely Occasionally Frequently Ch/Tn Parent 1. Failing to give close attention to d
2. Having trouble sustaining attention
3. Having trouble listening
4. Failing to finish things
5. Having poor organization for time
6. Avoiding, disliking, or being reluct
7. Losing things
8. Being easily distracted
9. Being forgetful
10. Having poor planning skills
11. Lacking clear goals or forward thi
12. Having difficulty expressing feelin
13. Having difficulty expressing empa
14. Experiencing excessive daydream
15. Feeling bored
16. Feeling apathetic or unmotivated
17. Feeling tired, sluggish or slow mo
18. Feeling spacey or "in a fog"
19. Feeling fidgety, restless or trouble
20. Having difficulty remaining seated
21. Running about or climbing excess
22. Having difficulty playing quietly
23. Being always "on the go" or acting
24. Talking excessively
25. Blurting out answers before questiv
26. Having difficulty waiting for turn
27. Interrupting or intruding on others
28. Behaving impulsively (saying or of
29. Worrying excessively or senseless
30. Getting upset when things do not go
31. Getting upset when things are out
32. Tending to be oppositional or arguents
33. Tending to have repetitive negativ
34. Tending to bave repetitive negativ
35. Intensely disliking change
36. Tending to hold grudges
37. Having trouble shifting attention for
38. Having trouble shifting attention for
39. Having difficulties seeing options
40. Tending to be locked into a cours
41. Needing to have things done a cer
42. Needing to have things done a cer
43. Others complaining that you worr
44. Tending to say no without first thin
45. Tending to predict fear Failing to give close attention to details or making careless mistakes Having trouble sustaining attention in routine situations (e.g., homework, chores, paperwork) Having poor organization for time or space (such as a backpack, room, desk, paperwork) Avoiding, disliking, or being reluctant to engage in tasks that require sustained mental effort \_\_\_\_11. Lacking clear goals or forward thinking 12. Having difficulty expressing feelings \_13. Having difficulty expressing empathy for others \_\_14. Experiencing excessive daydreaming \_\_\_17. Feeling tired, sluggish or slow moving \_\_\_\_19. Feeling fidgety, restless or trouble sitting still 20. Having difficulty remaining seated in situations where remaining seated is expected 21. Running about or climbing excessively in situations in which it is inappropriate 23. Being always "on the go" or acting as if "driven by a motor" 25. Blurting out answers before questions have been completed 27. Interrupting or intruding on others (e.g., butting into conversations or games) 28. Behaving impulsively (saying or doing things without thinking first) 29. Worrying excessively or senselessly 30. Getting upset when things do not go your way 31. Getting upset when things are out of place \_32. Tending to be oppositional or argumentative \_33. Tending to have repetitive negative thoughts 34. Tending toward compulsive behaviors (i.e., things you feel you *must* do) 37. Having trouble shifting attention from subject to subject 38. Having trouble shifting behavior from task to task 39. Having difficulties seeing options in situations 40. Tending to hold on to own opinion and not listen to others 41. Tending to get locked into a course of action, whether or not it is good \_42. Needing to have things done a certain way or else becoming very upset 43. Others complaining that you worry too much

44 Tending to say no without first thinking about the question

\_45. Tending to predict fear

	Experiencing frequent feelings of sadness
	Having feelings of moodiness
	Having feelings of negativity
 49.	Having low energy
	Being irritable
 51.	Having a decreased interest in other people
	Having a decreased interest in things that are usually fun or pleasurable
53.	Having feelings of hopelessness about the future
	Having feelings of helplessness or powerlessness
	Feeling dissatisfied or bored
	Feeling excessive guilt
	Having suicidal feelings
	Having crying spells
 59	Having lowered interest in things that are usually considered fun
	Experiencing sleep changes (too much or too little)
	Experiencing appetite changes (too much or too little)
	Having chronic low self-esteem
	Having a negative sensitivity to smells/odors
	Frequently feeling nervous or anxious
	Experiencing panic attacks
	Symptoms of heightened muscle tension (such as headaches, sore muscles, hand tremors, etc.)
	Experiencing periods of a pounding heart, a rapid heart rate, or chest pain
	Experiencing periods of troubled breathing or feeling smothered
	Experiencing periods of dizziness, faintness, or feeling unsteady on your feet
	Feeling nausea or having an upset stomach
	Experiencing periods of sweating, hot flashes, or cold flashes  Tending to predict the yearst
	Tending to predict the worst
	Having a fear of dying or doing something crazy
	Avoiding places for fear of having an anxiety attack
	Avoiding conflict
	Excessively fearing being judged or scrutinized by others
	Having persistent phobias
	Having low motivation
	Having excessive motivation
	Experiencing tics (either motor or vocal)
	Having poor handwriting
	Being quick to startle
	Having a tendency to freeze in anxiety-provoking situations
	Lacking confidence in own abilities
	Feeling shy or timid
	Being easily embarrassed
	Being sensitive to criticism
	Biting fingernails or picking at skin
	Having a short fuse or experiencing periods of extreme irritability
	Having periods of rage with little provocation
	Often misinterpreting comments as negative when they are not
	Finding that own irritability tends to build, then explodes, then recedes, often being tired after a rage
	Having periods of spaciness and/or confusion
	Experiencing periods of panic and/or fear for no specific reason
	Experiencing visual and/or auditory changes, such as seeing shadows or hearing muffled sounds
 	Having frequent periods of <i>deja vu</i> (that is, feelings of having already been somewhere you've never been)
	Being sensitive or mildly paranoid
	Experiencing headaches or abdominal pain of uncertain origin
	Having a history of a head injury or family history of violence or explosiveness
	. Having dark thoughts, ones that may involve suicidal or homicidal thoughts
 101	. Experiencing periods of forgetfulness or memory problems

## **Amen Clinic Learning Disability Child/Teen Screening Questionnaire**

Copyright Daniel G. Amen, MD

Please have the child or teen rate themselves on each of the symptoms listed below using the following scale. If there are questions not appropriate to age put NA. Also, please have another person who knows the child/teen well (such as a parent, tutor or teacher) rate the child/teen as well. List other person\_

0 Never	1 Rarely	2 Occasionally	3 Fraguently	4 Very Frequently	NA Not Applicable/Not Known
	•	Occasionany	rrequentry	very inequentry	Not Applicable/Not Known
	Parent/Other				
	1. I am a poor 2. I do not lik 3. I make mis 4. I read the s 5. I have prob 6. I reverse le 7. I switch let 8. My eyes hi 9. Words tend 10. Words tend 11. When read	te reading.  Stakes when reading same line twice.  Delems remembering etters when I read (sters in words when I read to blur when I read to move around thing I have difficult	g what I read ever such as b/d, p/q). n reading (such as read. ad. he page when I re	n though I have read god and dog).	all the words.
Writin	from a sto <u>ug</u>	•			
	12. I have "me 13. My work to 14. I prefer pri 15. My letters 16. I have trou 17. I have prob 18. I am a poor 19. I have trou 20. I have trou 21. I can tell a	ends to be messy.  nt rather than writi run into each other ble staying within blems with gramma r speller. ble copying off the ble getting thought	ng in cursive. or there is no sp lines. ar or punctuation. e board or from a ts from my brain	page in a book.	
	23. I have trou 24. I tend to be 25. I have diffi 26. I have diffi	ble with knowing r ble keeping things clumsy, uncoording	within columns on the condination. It is such as up, down	or coloring within lir	nes.
Oral E	Expressive language				
	29. I have trou	iculty expressing mathematical ble finding the right ble talking around	nt word to say in	conversations.  ng to the point in con	nversations.
<u>Recept</u>	32. I tend to m 33. I have trou		le and give the wi directions people		

\_\_\_\_ 35. I have trouble filtering out background noises.

<u>Math</u>	
	36. I am poor at basic math skills for my age (adding, subtracting, multiplying and dividing)
	37. I make "careless mistakes" in math.
	38. I tend to switch numbers around.
	39. I have difficulty with word problems.
Sequen	cing
	40. I have trouble getting everything in the right order when I speak.
	41. I have trouble telling time.
	42. I have trouble using the alphabet in order.
	43. I have trouble saying the months of the year in order.
Abstra	ction
	44. I have trouble understanding jokes people tell me.
	45. I tend to take things too literally.
Organi	zation
<u>Organi</u>	46. My notebook/paperwork is messy or disorganized.
	47. My room is messy.
	48. I tend to shove everything into my backpack, desk or closet.
	49. I have multiple piles around my room.
	50. I have trouble planning my time.
	51. I am frequently late or in a hurry.
	52. I often do not write down assignments or tasks and end up forgetting what to do.
Memor	
	53. I have trouble with my memory.
	54. I remember things from long ago but not recent events.
	55. It is hard for me to memorize things for school or work.
	56. I know something one day but do not remember it the next day.
	57. I forget what I am going to say right in the middle of saying it.
	58. I have trouble following directions that have more than one or two steps.
Social S	Skills
•	59. I have few or no friends.
	60. I have trouble reading body language or facial expressions of others.
	61. My feelings are often or easily hurt.
	62. I tend to get into trouble with friends, teachers, parents or bosses.
	63. I feel uncomfortable around people I do not know well.
	64. I am teased by others.
	65. Friends do not call and ask me to do things with them.
	66. I do not get together with others outside of school or work.
Scoton	c Sensitivity
Scotop	67. I am light sensitive. Bothered by glare, sunlight, headlights or streetlights.
	68. I become tired, experience headaches, mood changes, feel restless or an inability to stay focused with bright or
	fluorescent lights.
	69. I have trouble reading words that are on white, glossy paper.
	70. When reading, words or letters shift, shake, blur, move, run together, disappear or become difficult to perceive.
	71. I feel tense, tired, sleepy, or even get headaches with reading
	72. I have problems judging distance & have difficulty with such things as escalators, stairs, ball sports, or driving.
Sangam	
SCHSOL	<u>y Integration Issues</u> 73. I seem to be more sensitive to the environment than others.
	73. I seem to be more sensitive to the environment than others.  74. I am more sensitive to noise than others.
	75. I am particularly sensitive to touch or very sensitive to certain clothing or tags on the clothing.
	76. I have unusual sensitivity to certain smells.
	77. I have unusual sensitivity to light.
	78. I am sensitive to movement or craves spinning activities?
	79 I tend to be clumsy or accident prope

### **Medical Review**

Please place a check mark in the box/boxes that apply (C = Current, P = Past).

General	Head, Eye, Ear, Nose, & Throat	Genitourinary
C P Being overweight Recent weight gain or weight loss Poor appetite Increased appetite Abnormal sensitivity to cold Cold sweats during the day Tired or worn out Hot or cold spells Abnormal sensitivity to heat Excessive sleeping	C P	C P
☐ ☐ Difficulty sleeping ☐ ☐ Lowered resistance to infection ☐ ☐ Flu-like or vague sick feeling ☐ ☐ Sweating excessively at night ☐ ☐ Excessive daytime sweating ☐ ☐ Excessive thirst ☐ ☐ Other:	☐ Ear ringing   ☐ Chronic ear infections   ☐ Disturbances in smell   ☐ Runny nose   ☐ Dry mouth   ☐ Sore tongue   ☐ Other:	C P
Neurological  C P  Pacing due to muscle restlessness  Dizziness  Dizziness  Muscle spasms or tremors  Impaired ability to remember  "Tics"  Numbness  Convulsions/fits	Gastrointestinal and Hepatic  C P  Trouble swallowing  Nausea or vomiting  Abdominal (stomach/belly) pain  Anal itching  Painful bowel movements  Infrequent bowel movements  Liquid bowel movements  Liquid bowel control  Frequent belching or gas	Sterility/infertility  Abnormal vaginal discharge Other:  Males  C P Impotence (weak male erection) Inability to ejaculate or orgasm Scrotal pain Abnormal penis discharge Other:
☐ ☐ Slurred speech   ☐ ☐ Speech problem (other)   ☐ ☐ Weakness in muscles   ☐ ☐ Other:	<ul> <li>□ Vomiting blood</li> <li>□ Rectal bleeding (red or black blood)</li> <li>□ Jaundice (yellowing of skin)</li> <li>□ Other:</li> </ul>	Surgical Procedures Tonsillectomy Adenoidectomy
Respiratory  C P  Asthma, wheezing  Cough  Coughing up blood or sputum  Shortness of breath  Rapid breathing  Repeated nose or chest colds  Other:	Musculoskeletal  C P	
Chest and Cardiovascular  C P  ☐ Ankle swelling ☐ Rapid/irregular pulse ☐ High cholesterol ☐ Breast tenderness ☐ Chest pain ☐ High blood pressure ☐ Low blood pressure ☐ Stroke ☐ Other:	Skin and Hair  C P  Dry hair or skin  Itchy skin or scalp  Easy bruising  Hair loss  Increased perspiration  Sun sensitivity  Other:	☐ Chronic Fatigue Syndrome ☐ Fibromyalgia ☐ Encephalitis ☐ Meningitis ☐ Lyme Disease ☐ Lupus ☐ Epstein - Barr virus (Mononucleosis) ☐ Fevers over 105° ☐ Autoimmune Disorder ☐ Other:

# Mother's Amen Brain System Checklist

Copyright 1997 Daniel G. Amen, MD

This form should be filled out by the *biological or adopted mother on herself*, if possible. If it is not possible please have it filled out by someone who knows her well. Please rate yourself on each of the symptoms listed below using the following scale. If possible have the father or other person who knows the biological mother rate her as well. Please list who filled this out

0		1	2	3	4	NA		
Never		Rarely	Occasionally	Frequently	Very Frequently	Not Applicable/Not Known		
Other	Mother							
Other		Failing to	o give close attention	n to details or ma	kes careless mistake	S		
	_		Failing to give close attention to details or makes careless mistakes Having trouble sustaining attention in routine situations (e.g., homework, chores, paperworl					
	3.	Having t	Having trouble listening					
	4.	Failing to	o finish things					
	5.	Having p	oor organization for	time or space (s	uch as a backpack, ro	oom, desk, paperwork)		
	6.	Avoiding	g, disliking, or being	reluctant to enga	ige in tasks that requ	ire sustained mental effort		
	7.	Losing th	nings					
	8.	Being ea	sily distracted					
	9.	Being for	rgetful poor planning skills					
	10.	Having p	oor planning skills					
	11.	Lacking	clear goals or forward	rd thinking				
	12.	Having c	lifficulty expressing	teelings				
	13.	Having o	lifficulty expressing	empathy for other	ers			
	14.	Experien	icing excessive dayd	reaming				
	13.	Feeling t	orea mathatia an unmativ	atad				
	10.	Fooling t	clear goals or forward lifficulty expressing lifficulty expressing acing excessive dayd pored apathetic or unmotivative, sluggish or slow pacey or "in a fog" lidgety, restless or tradifficulty remaining about or climbing expressions.	ateu v moving				
	12	Faciling t	rnacey or "in a fog"	w moving				
	10.	Feeling f	idgety restless or tr	ouble citting ctill				
	1). 20	Having	lifficulty remaining	seated in situation	ns where remaining	seated is expected		
	21	Running	about or climbing e	xcessively in situ	ations in which it is			
		0	lifficulty playing qui		actions in winch it is	пирргоргиис		
			ways "on the go" or		en by a motor"			
			excessively	C	,			
	25.	Blurting	out answers before	questions have be	een completed			
	26.	Having o	lifficulty waiting for	turn	•			
	27.	Interrupt	ing or intruding on o	others (e.g., buttin	ng into conversations	s or games)		
					without thinking first	st)		
	29.	Worryin	g excessively or sens	selessly				
	30.	Getting u	ipset when things do	not go your way	I			
	31.	Getting ı	ipset when things are	e out of place				
			to be oppositional or					
			to have repetitive ne			. 1		
				behaviors (i.e., th	nings you feel you mi	ust do)		
			disliking change					
			to hold grudges	tian fuana anhiast	40 out.			
			rouble shifting attent					
			rouble shifting behar lifficulties seeing op					
			to hold on to own of					
					whether or not it is g	rood		
					else becoming very			
	43.		omplaining that you		cise occoming very	apoot		
	44.		to say no without fir		the question			
			to predict fear	and the same and the same	4			
			cing frequent feeling	gs of sadness				

 47.	Having feelings of moodiness
 48.	Having feelings of negativity
49.	Having low energy
	Being irritable
51.	Having a decreased interest in other people
 52.	Having a decreased interest in things that are usually fun or pleasurable
53.	Having feelings of hopelessness about the future
54.	Having feelings of helplessness or powerlessness
55.	Feeling dissatisfied or bored
56.	Feeling excessive guilt
 57.	Having suicidal feelings
58.	Having crying spells
 59.	Having lowered interest in things that are usually considered fun
	Experiencing sleep changes (too much or too little)
 61.	Experiencing appetite changes (too much or too little)
 62.	Having chronic low self-esteem
	Having a negative sensitivity to smells/odors
64.	Frequently feeling nervous or anxious
	Experiencing panic attacks
	Symptoms of heightened muscle tension (such as headaches, sore muscles, hand tremors, etc.)
 67.	Experiencing periods of a pounding heart, a rapid heart rate, or chest pain
 68.	Experiencing periods of troubled breathing or feeling smothered
 69.	Experiencing periods of dizziness, faintness, or feeling unsteady on your feet
	Feeling nausea or having an upset stomach
	Experiencing periods of sweating, hot flashes, or cold flashes
	Tending to predict the worst
	Having a fear of dying or doing something crazy
	Avoiding places for fear of having an anxiety attack
 75.	Avoiding conflict
 76.	Excessively fearing being judged or scrutinized by others
 77.	Having persistent phobias
	Having low motivation
	Having excessive motivation
	Experiencing tics (either motor or vocal)
	Having poor handwriting
 82.	Being quick to startle
83.	Having a tendency to freeze in anxiety-provoking situations
84.	Lacking confidence in own abilities
 	Feeling shy or timid
 86.	Being easily embarrassed
87.	Being sensitive to criticism
 88.	Biting fingernails or picking at skin
 89.	Having a short fuse or experiencing periods of extreme irritability
90.	Having periods of rage with little provocation
 91.	Often misinterpreting comments as negative when they are not
 92.	Finding that own irritability tends to build, then explodes, then recedes, often being tired after a rage
 93.	Having periods of spaciness and/or confusion
94.	Experiencing periods of panic and/or fear for no specific reason
 95.	Experiencing visual and/or auditory changes, such as seeing shadows or hearing muffled sounds
 96.	Having frequent periods of <i>deja vu</i> (that is, feelings of being somewhere you have never been)
97.	Being sensitive or mildly paranoid
 98.	Experiencing headaches or abdominal pain of uncertain origin
 99.	Having a history of a head injury or family history of violence or explosiveness
	Having dark thoughts, ones that may involve suicidal or homicidal thoughts
	Experiencing periods of forgetfulness or memory problems

# Father's Amen Brain System Checklist

Copyright 1997 Daniel G. Amen, MD

This form should be filled out by the *biological or adopted father on himself*, if possible. If it is not possible please have it filled out by someone who knows him well. Please rate yourself on each of the symptoms listed below using the following scale. If possible have the mother or other person who knows the biological father rate him as well. Please list who filled this

0		1	2	3	4	NA		
Never					Very Frequently	Not Applicable/Not Known		
		•	·					
Other	Father							
	1.	Failing to	give close attention	to details or mal	kes careless mistakes	3		
	2.		Having trouble sustaining attention in routine situations (e.g., homework, chores, paperwork)					
	3.		Having trouble listening					
	4.	Failing to	Failing to finish things					
	5.	Having p	oor organization for	time or space (su	ich as a backpack, ro	oom, desk, paperwork)		
	6.	Avoiding	, disliking, or being	reluctant to enga	ge in tasks that requi	ire sustained mental effort		
	7.	Losing th	ings	_	-			
	8.	Being eas	sily distracted					
	9.	Being for	getful					
	10.	Having p	oor planning skills					
	11.	Lacking of	clear goals or forwar	d thinking				
	12.	Having d	ifficulty expressing	feelings				
	13.	Having d	ifficulty expressing	empathy for othe	rs			
	14.	Experience	cing excessive dayd	reaming				
	15.	Feeling b	ored					
	16.	Feeling a	pathetic or unmotiva	ated				
	17.	Feeling ti	ired, sluggish or slov	w moving				
	18.	Feeling s	pacey or "in a fog"					
	19.	Feeling fi	idgety, restless or tro	ouble sitting still				
	20.	Having d	ifficulty remaining s	seated in situation	is where remaining s	seated is expected		
	21.	Running	about or climbing ex	cessively in situa	ations in which it is	inappropriate		
	22.	Having d	ifficulty playing qui	etly				
	23.	Being alv	ways "on the go" or a	acting as if "drive	en by a motor"			
	24.	Talking e	excessively					
	25.	Blurting	out answers before q	questions have be	en completed			
	26.	Having d	ifficulty waiting for	turn				
	27.	Interrupti	ing or intruding on o	thers (e.g., buttin	g into conversations	or games)		
	28.	Behaving	g impulsively (saying	g or doing things	without thinking firs	st)		
	29.	Worrying	g excessively or sens	selessly				
	30.	Getting u	pset when things do	not go your way				
	31.	Getting u	pset when things are	e out of place				
	32.	Tending 1	to be oppositional or	argumentative				
	33.	Tending t	to have repetitive ne	gative thoughts	fa al	(ab 4a)		
			toward compulsive t	benaviors (i.e., th	ings you teet you mi	ist do)		
			disliking change					
			to hold grudges	ian fuana auliiaat	4 a auli a a 4			
			couble shifting attent					
			couble shifting behavior					
			ifficulties seeing opt					
			to hold on to own op to get locked into a c			boos		
			to have things done					
			omplaining that you		List occoming very t	ipsci		
			to say no without fir		the question			
			to say no without fir to predict fear	si umiking about	me question			
			cing frequent feeling	os of sadness				
	10.		<u></u>	SO OI DUUIIVOO				

 47.	Having feelings of moodiness
	Having feelings of negativity
49.	Having low energy
	Being irritable
51.	Having a decreased interest in other people
	Having a decreased interest in things that are usually fun or pleasurable
 53.	Having feelings of hopelessness about the future
 54.	Having feelings of helplessness or powerlessness
55.	Feeling dissatisfied or bored
56.	Feeling excessive guilt
57.	Having suicidal feelings
58.	Having crying spells
59.	Having lowered interest in things that are usually considered fun
	Experiencing sleep changes (too much or too little)
61.	Experiencing appetite changes (too much or too little)
62.	Having chronic low self-esteem
 63.	Having a negative sensitivity to smells/odors
	Frequently feeling nervous or anxious
	Experiencing panic attacks
 66	Symptoms of heightened muscle tension (such as headaches, sore muscles, hand tremors, etc.)
	Experiencing periods of a pounding heart, a rapid heart rate, or chest pain
	Experiencing periods of troubled breathing or feeling smothered
	Experiencing periods of dizziness, faintness, or feeling unsteady on your feet
 70.	Feeling nausea or having an upset stomach
	Experiencing periods of sweating, hot flashes, or cold flashes
	Tending to predict the worst
	Having a fear of dying or doing something crazy
	Avoiding places for fear of having an anxiety attack
 	Avoiding conflict
 76.	Excessively fearing being judged or scrutinized by others
 77.	Having persistent phobias
	Having low motivation
	Having excessive motivation
	Experiencing tics (either motor or vocal)
	Having poor handwriting
 82.	Being quick to startle
	Having a tendency to freeze in anxiety-provoking situations
 84.	Lacking confidence in own abilities
 85.	Feeling shy or timid
 86.	Being easily embarrassed
87.	Being sensitive to criticism
88.	Biting fingernails or picking at skin
89.	Having a short fuse or experiencing periods of extreme irritability
90.	Having periods of rage with little provocation
91.	Often misinterpreting comments as negative when they are not
92.	Finding that own irritability tends to build, then explodes, then recedes, often being tired after a rage
 93.	Having periods of spaciness and/or confusion
 94.	Experiencing periods of panic and/or fear for no specific reason
95.	Experiencing visual and/or auditory changes, such as seeing shadows or hearing muffled sounds
 96.	Having frequent periods of <i>deja vu</i> (that is, feelings of being somewhere you have never been)
 97.	Being sensitive or mildly paranoid
 98.	Experiencing headaches or abdominal pain of uncertain origin
 99.	Having a history of a head injury or family history of violence or explosiveness
	Having dark thoughts, ones that may involve suicidal or homicidal thoughts
	Experiencing periods of forgetfulness or memory problems
 	1 01

# **Neuropsychiatric Symptom Checklist**

Please review the table of symptoms below and place a check in the appropriate box if you or any of your family members have had the problems listed.

Problem Areas	Self	Mother	Father	Brother	Sister	Your Children	Other Relatives
Anxiety							
Panic Attacks							
Phobias							
Depression							
Seasonal Mood Changes (SAD)							
Elevated Mood							
Bipolar Illness							
Mania							
Irritability							
Hot Temper							
Self Mutilation							
Suicide Attempts							
Psychiatric Hospitalization							
Social Isolation							
Hallucinations							
Schizophrenia							
Psychosis							
Paranoia							
Delusions							
Dissociative States							
Grief							
ADHD (attention deficit disorder)							
Concentration Difficulties							
Attention Difficulties							
Hyperactivity							
Intolerance of Boredom							
Learning/School Difficulties							
Juvenile Delinquency							
Defiant Behavior							
Fire Setting							
Bedwetting							
Cruelty to Animals							
Legal Troubles							
Anger or Rage Problems							
Obsessions or Compulsions							

Problem Areas	Self	Mother	Father	Brother	Sister	Your Children	Other Relatives
Anorexia Nervosa							
Bulimia (binging and purging)							
Laxative/Diuretic Abuse							
Alcohol Abuse							
Drug/substance abuse							
Head injury							
Concussion							
Tourette's Syndrome							
Amnesia							
Dementia							
Narcolepsy							
Irresistible sleep attacks							
Sleep apnea							
Heavy snoring during sleep							
Hallucinations going to sleep							
Hallucinations when awakening							
Restless legs during sleep							
Night Terrors							
Sleepwalking							
Sexual Difficulties							
Sexual Abuse Victim							
Sexual Abuse Perpetrator							
Physical Abuse Victim							
Physical Abuse Perpetrator							
Mental Retardation							
Autism							
Asperger's Disorder							
Pervasive Developmental D/O							
Sensitivity to Light							
Sensitivity to Odors							
Sensitivity to Sounds							
Sensitivity to Touch							

### Amen Clinic Brain SPECT Informed Consent Form

What is Brain SPECT Imaging? Brain SPECT imaging is a nuclear medicine procedure that uses very small doses of a radioactive substance by intravenous injection that will give you and your doctor information on the cerebral blood flow and activity patterns of your brain.

What is the purpose of the Brain SPECT Imaging Procedure? This clinic and other clinics around the country have correlated certain mental and behavioral states with certain SPECT patterns. The information from the SPECT studies will help you and your doctor understand your specific brain patterns, which may further help in your evaluation and treatment.

Will the SPECT study give me an accurate diagnosis? No. A SPECT study by itself will not give a diagnosis. SPECT imaging helps the clinician understand more about the specific function of your brain. Each person's brain is unique which may lead to unique responses to medicine or therapy. Diagnoses about specific conditions are made through a combination of clinical history, personal interview, information from families, checklists, SPECT studies and other neuropsychological tests. No study by itself is a "doctor in a box" that can give accurate diagnoses on individual patients.

Why are SPECT studies ordered? Some of the common reasons include:

- 1. Evaluating suspected seizure activity
- 2. Evaluating suspected cerebral vascular disease
- 3. Evaluating cognitive decline and suspected dementia or other memory problems
- 4. Evaluating the effects of mild, moderate and severe head trauma
- 5. Evaluating the presence of a suspected underlying organic brain condition, such as seizure activity, that contributes to behavioral or emotional disturbance
- 6. Evaluating aggressive or suicidal behavior
- 7. Evaluating the extent of brain impairment caused by drug or alcohol abuse or other toxic exposure
- 8. Subtyping the physiology underlying mood disorders, anxiety disorders, or attention deficit disorders
- 9. Evaluating atypical, unresponsive or mixed psychiatric condition
- 10. Following up to evaluate the physiological effects of treatment
- 11. General brain health check up

**Do I need to be off medication before the study?** This question must be answered individually between you and your doctor. In general, it is better to be off medications until they are out of your system, but this is not always practical or advisable. If the study is done while on medication make sure to note it on the appropriate forms. In general, we recommend patients try to be off stimulants at least four days before the first scan and remain off of them until after the second scan is done (if you are having two scans). Medications such as Prozac (which lasts in the body 4-6 weeks) are generally not stopped because of practicality. Check with your specific doctor for recommendations.

What should I do the day of the scan? On the day of the scan eliminate your caffeine intake and try to not take cold medication or aspirin (if you do please write it down on the intake form). Eat as you normally would.

Are there any side effects or risks to the study? The study does not involve a dye and people do not have allergic reactions to the study. The possibility exists, although in a very small percentage of patients, of a mild rash, facial redness and edema, fever and a transient increase in blood pressure. The amount of radiation exposure from one brain SPECT study is approximately  $2/3^{rd}$  of a head CT scan. Rarely, patients have reported green urine after the procedure for a day or two.

How is the SPECT procedure done? The evaluation typically consists of two scans that are performed at least 24 hours apart. Usually, the concentration scan is performed first. The imaging agent is injected through a small intravenous (IV) tube in the arm and the patient is given a task which requires prolonged concentration. On the next scheduled day the resting scan is obtained. During this scan, the patient is placed in a quiet room and the imaging agent is once again started through a small intravenous (IV) tube. During this scan, the patient is asked to relax and allow their mind to wander while they remain quiet for approximately 15 minutes. For both scans, following the injection, the patient lies on a table and the SPECT camera rotates around his/her head (the patient does not go into a tube). The time on the table varies from 15-30 minutes. The study is then read within the next few days. Pictures are made available to the patient's treatment professionals. Please ensure you have a follow-up appointment with a physician to go over the results of the study.

Are there alternatives to having a SPECT study? In our opinion, SPECT is the most clinically useful study of brain function for the indications listed above. There are other studies, such as electroencephalograms (EEGs), Positron Emission Tomography (PET) studies and functional MRIs (fMRI). PET studies and fMRI are considerably more costly and they are performed mostly in research settings. EEGs, in our opinion, do not provide enough information about the deep structures of the brain to be as helpful as SPECT studies.

**Do I have to have the SPECT study performed at the Amen Clinic?** No. SPECT studies may be performed at other clinics. The patient may choose any other facility for this study or any other study or service recommended by our clinic. However, many doctors and patients utilize our services because Dr. Amen has 20 years of experience performing and interpreting over 64,000 SPECT studies for these indications.

**Does insurance cover the cost of SPECT studies?** Reimbursement by insurance companies varies according to your plan. It is often a good idea to check with the insurance company to see if it is a covered benefit.

**Is the use of brain SPECT imaging accepted in the medical community?** Brain SPECT studies are widely recognized as an effective tool for evaluating brain function in seizures, strokes, dementia and head trauma. There are literally thousands of research articles on these topics. In our clinic, based on our sixteen years of experience, we have developed this technology further to evaluate neuropsychiatric conditions. Unfortunately, many physicians do not fully understand the application of SPECT imaging and may tell you that the technology is experimental, but over 2,000 physicians and mental health professionals from across the United States have referred patients to us for scans.

Who owns Amen Clinics, Inc? Dr. Amen is the sole owner of the Amen Clinics. The other staff members who work with Dr. Amen are either employees or independent contractors.